

SECTION 1: IDENTIFICATION OF PRODUCT AND COMPANY

Material/Trade Name: Concrete 10LV Epoxy Part A
Material Type: Epoxy Adhesive
Company: Republic Chemical Industries, Inc.
Address: 731 Aurora Boulevard, Quezon City, 1112 Philippines
Telephone: +63 2 721 5781 to 86
Fax: +63 2 727 5095
Website: www.repchem.com

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification:	Flammability	Category – Not classified
	Acute Toxicity – Oral:	Category 5
	Acute Toxicity – Dermal:	Category 5
	Skin Corrosion:	Category – Not classified
	Skin Irritation:	Category 2
	Serious Eye Damage/Eye Irritation:	Category 2B
	Sensitization – Respiratory	Category – Not classified
	Sensitization – Skin:	Category 1
	STOT – Single Exposure:	Category – Not classified
	STOT – Repeated Exposure:	Category – Not classified
	Aspiration Hazard:	Category – Classification not possible
	Aquatic Toxicity - Acute:	Category 2

Hazard Symbol/ Signal Word:



WARNING!

Hazard Statement:

Maybe harmful if swallowed.
Maybe harmful in contact with skin
Causes skin irritation.
Causes eye irritation.
May cause an allergic skin reaction.
Toxic to aquatic life.

Precautionary Statement:

Prevention:

Contaminated work clothing should not be allowed out of the working place.
Wear protective gloves/protective clothing/eye protection/face protection.
Avoid release to the environment.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF ON SKIN: Wash with plenty of soap and water.
IF ON CLOTHING: Take off contaminated clothing and wash before use.
If skin irritation or rash occurs: Get medical advice/attention.



MATERIAL SAFETY DATA SHEET

Concrete 10LV Epoxy Part A

MSDS No: 032
VERSION: 032-01
VERSION DATE: 09/19/11
SUPERSEDES: 06/08/10

If eye irritation persists: Get medical advice/attention.
Call a POISON CENTER or doctor/physician if you feel unwell.

SECTION 3: COMPOSITION/INFORMATION OF INGREDIENTS

Chemical Identity	CAS no.	Concentration (%)
Propane, 2,2-bis[p-(2,3-epoxypropoxy)phenyl]-, polymers	25085-99-8	60%

SECTION 4: FIRST AID MEASURES

Eye:	Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Skin:	Immediately flush skin with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention.
Inhalation:	Moved to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion:	If swallowed, do not induce vomiting. If vomiting occurs spontaneously, head below hips to prevent aspiration into lungs. Never give anything by mouth to an unconscious person. Call a physician immediately.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point:	>150°C Closed Cup.
Autoignition temperature:	Not available
Extinguishing Media:	Water spray, foam, dry chemical or carbon dioxide.
Special Fire fighting Procedure:	Fire fighters should wear self-contained breathing apparatus.
Hazardous thermal Decomposition Products:	Carbon dioxide, carbon monoxide and oxides of nitrogen.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Remove all sources of ignition.
Wear appropriate personal protective equipment as specified in Section 8.
Isolate hazard area. Keep unnecessary and unprotected personnel from entering.
Contain and recover liquid when possible. Use non-sparking tools and equipment.
Collect liquid in an appropriate container or absorb with an inert material (dry sand, earth), and place in a chemical waste container.
Do not use combustible materials, such as saw dust.
Do not flush to sewer. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.

SECTION 7: HANDLING AND STORAGE

Store in a cool, dry well-ventilated location, away from any area where the fire hazard may be acute.
Outside or detached storage is preferred.
Separate from incompatibles.
Containers should be bonded and grounded for transfers to avoid static sparks.
Storage and use areas should be *No Smoking areas*.
Use non-sparking type tools and equipment, including explosion proof ventilation.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/Face Protection:	Safety goggles/glasses suitable for use with chemicals.
Respiratory Protection:	Always use appropriate Filter Mask/respirator (NIOSH/MSHA Approved).
Skin Protection:	Nitrile/polyethylene gloves, coveralls, avoid cotton products.
Ventilation:	Good general or local exhaust ventilation is required for usage.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Soft Paste	Oxidizing Properties:	Not available
Color:	Beige	Vapor Pressure:	Not available
Odor:	Light odor	Vapor Density:	Not available
Odor Threshold:	Not available	Relative Density:	1.45
Boiling Point:	Not available	Solubility in Water:	Not miscible
Melting Point:	Not available	Partition Coefficient:	Not available
Flash Point:	>150°C	Auto-ignition Temperature:	Not available
Evaporation Rate:	Not available	Decomposition Temperature:	Not available
Flammability:	Not available	Viscosity:	Not available
Explosion Limits:	Not available		

SECTION 10: STABILITY AND REACTIVITY

Stability:	Stable under ordinary conditions of use and storage.
Hazard Polymerization:	Will not occur.
Incompatibility:	Strong acids, heat, strong oxidizing agents.
Hazardous Decomposition	
Products:	Carbon dioxide and carbon monoxide may form when heated to decomposition.
Conditions to Avoid:	Heat, flames, ignition sources and incompatibles.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity:	
<i>Oral:</i>	LD50 (rat): >5,000 mg/kg
<i>Dermal:</i>	LD50 (rabbit): >20,000 mg/kg
<i>Inhalation:</i>	No data is available on the product itself.
Corrosivity/Irritation:	
<i>Eyes:</i>	Irritant effect.
<i>Skin:</i>	Irritant to skin and mucous membrane.
<i>Respiratory Tract:</i>	No data available on the product itself.
Skin Sensitization:	Has caused allergic skin reactions in humans.
Chronic Toxicity:	Not classified as a carcinogen.
STOT – Single Exposure:	No data available.
STOT – Repeated Exposure:	Except for skin sensitization, repeated exposures are not anticipated to cause any insignificant adverse effects.
Mutagenicity:	Animal genetic toxicity studies were negative.
Carcinogenicity:	Not classified as a carcinogen.
Reproductive Toxicity:	In animal studies, did not interfere with reproduction.

SECTION 12: ECOLOGICAL INFORMATION

Acute Toxicity:	
<i>Daphnia:</i>	EC50 (48h): 1.4 – 1.7 mg/L
<i>Fish:</i>	LC50 (96h): 3.1 mg/L

The material is moderately toxic to aquatic organisms on an acute basis. Toxicity to aquatic species occurs at concentrations above material's water solubility.



MATERIAL SAFETY DATA SHEET

Concrete 10LV Epoxy Part A

MSDS No: 032
VERSION: 032-01
VERSION DATE: 09/19/11
SUPERSEDES: 06/08/10

SECTION 13: DISPOSAL CONSIDERATIONS

Must not be disposed together with household garbage.
Do not discharge into drains or watercourses.
Disposal must be made according to official regulations.

SECTION 14: TRANSPORTATION INFORMATION

IATA-DGR Not regulated
IMDG Not regulated

SECTION 15: REGULATORY INFORMATION

Chemical Inventory:

PICCS (Philippines): Listed
EINECS (EU): Listed
KECI (KR): Listed
TSCA (US): Listed
DSL (CN): Listed
ENCS (JP): Listed

SECTION 16: OTHER INFORMATION

The information contained in this MSDS is based on our present knowledge. It was obtained from a variety of sources and is believed to be accurate and current at the stated version date. This data is provided without warranty for the use of this information, application or processing described in this MSDS. Users should note the possibility of hazards occurring due to improper use of the product.

Department issuing MSDS: *Research and Development Department*

Contact: *Marketing Department*

ABBREVIATIONS AND ACRONYMS:

PICCS – PHILIPPINE INVENTORY OF CHEMICALS AND CHEMICAL SUBSTANCES
EINECS – EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES
KECI – KOREAN EXISTING CHEMICALS LIST
TSCA – TOXIC SUBSTANCES CONTROL ACT
DSL – DOMESTIC SUBSTANCES LIST
ENCS – JAPANESE EXISTING AND NEW CHEMICALS SUBSTANCES

SECTION 1: IDENTIFICATION OF PRODUCT AND COMPANY

Material/Trade Name: Concrete 10LV Epoxy Part B
Material Type: Epoxy Adhesive
Company: Republic Chemical Industries, Inc.
Address: 731 Aurora Boulevard, Quezon City, 1112 Philippines
Telephone: +63 2 721 5781 to 86
Fax: +63 2 727 5095
Website: www.repchem.com

SECTION 2: HAZARDS IDENTIFICATION

GHS Classification:	Flammability	Category – Not classified
	Acute Toxicity – Oral/Dermal	Category 5
	Skin Corrosion:	Category – Not classified
	Skin Irritation:	Category 2
	Serious Eye Damage/Eye Irritation:	Category 2A
	Sensitization – Skin:	Category 1
	STOT – Single/Repeated Exposure:	Category – Classification not possible
	Aspiration Hazard:	Category – Classification not possible
	Aquatic Toxicity - Acute:	Category – Classification not possible

Hazard Symbol/ Signal Word:



WARNING!

Hazard Statement:

Maybe harmful if swallowed
Maybe harmful in contact with skin
Causes skin irritation
Causes eye irritation
May cause an allergic skin reaction

Precautionary Statement:

Prevention:

Contaminated work clothing should not be allowed out of the workplace.
Wear protective gloves/protective clothing.
Wear eye/face protection.

Response:

If on skin: Wash with plenty of soap and water
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If skin/eye irritation occurs: Get medical attention
If skin irritation or rash occurs: Get medical attention



MATERIAL SAFETY DATA SHEET

Concrete 10LV Epoxy Part B

MSDS No: 033
VERSION: 033-01
VERSION DATE: 09/15/11
SUPERSEDES: 06/08/10

SECTION 3: COMPOSITION/INFORMATION OF INGREDIENTS

Chemical Identity	CAS no.	Concentration (%)
Triethylenetetramine	112-24-3	1 - 5

SECTION 4: FIRST AID MEASURES

Eye:	Rinse opened eye continuously under running water for at least 30 minutes. Remove the contact lenses after the first 5 minutes and continue washing. If symptoms persist, consult a doctor, preferably from an ophthalmologist.
Skin:	Immediately flush skin with plenty of water for at least 30 minutes. Remove contaminated clothing and shoes. Get medical attention.
Inhalation:	Moved to fresh air and keep at rest in a position comfortable for breathing. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.
Ingestion:	If swallowed, do not induce vomiting. If vomiting occurs spontaneously, head below hips to prevent aspiration into lungs. Never give anything by mouth to an unconscious person. Call a physician immediately.

SECTION 5: FIRE FIGHTING MEASURES

Flash Point:	200°C Closed Cup.
Autoignition temperature:	Not available
Extinguishing Media:	Water spray, foam, dry chemical or carbon dioxide.
Special Fire fighting Procedure:	Fire fighters should wear self-contained breathing apparatus.
Hazardous thermal Decomposition Products:	Carbon dioxide, carbon monoxide and oxides of nitrogen.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Ventilate area of leak or spill. Remove all sources of ignition.
Wear appropriate personal protective equipment as specified in Section 8.
Isolate hazard area. Keep unnecessary and unprotected personnel from entering.
Contain and recover liquid when possible. Use non-sparking tools and equipment.
Collect liquid in an appropriate container or absorb with an inert material (dry sand, earth), and place in a chemical waste container.
Do not use combustible materials, such as saw dust.
Do not flush to sewer. If a leak or spill has not ignited, use water spray to disperse the vapors, to protect personnel attempting to stop leak, and to flush spills away from exposures.

SECTION 7: HANDLING AND STORAGE

Store in a cool, dry well-ventilated location, away from any area where the fire hazard may be acute.
Outside or detached storage is preferred.
Separate from incompatibles.
Containers should be bonded and grounded for transfers to avoid static sparks.
Storage and use areas should be *No Smoking areas*.
Use non-sparking type tools and equipment, including explosion proof ventilation.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Eye/Face Protection:	Safety goggles/glasses suitable for use with chemicals.
Respiratory Protection:	Always use appropriate Filter Mask/respirator (NIOSH/MSHA Approved).
Skin Protection:	Nitrile/polyethylene gloves, coveralls, avoid cotton products.
Ventilation:	Good general or local exhaust ventilation is required for usage.



MATERIAL SAFETY DATA SHEET

Concrete 10LV Epoxy Part B

MSDS No: 033
VERSION: 033-01
VERSION DATE: 09/15/11
SUPERSEDES: 06/08/10

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Form:	Viscous liquid	Oxidizing Properties:	Not available
Color:	Amber	Vapor Pressure:	<10.34 mmHg
Odor:	Irritating	Vapor Density:	Not available
Odor Threshold:	Not available	Relative Density:	1.37
Boiling Point:	> 176.67 °C	Solubility in Water:	Slightly soluble
Melting Point:	Not available	Partition Coefficient:	Not available
Flash Point:	200°C	Auto-ignition Temperature:	Not available
Evaporation Rate:	Not available	Decomposition Temperature:	Not available
Flammability:	Not available	Viscosity:	9,000 – 11,000 cps @40°C
Explosion Limits:	Not available		

SECTION 10: STABILITY AND REACTIVITY

Stability:	Stable under ordinary conditions of use and storage.
Hazard Polymerization:	Will not occur.
Incompatibility:	Strong acids, heat, strong oxidizing agents.
Hazardous Decomposition	
Products:	Carbon dioxide and carbon monoxide may form when heated to decomposition.
Conditions to Avoid:	Heat, flames, ignition sources and incompatibles.

SECTION 11: TOXICOLOGICAL INFORMATION

Acute Toxicity: No data is available on the product itself.

- Triethylenetetramine

Oral LD50 (rat): 2,780 mg/kg

Dermal: LD50 (rabbit): 550 – 805 mg/kg

Inhalation: No data is available on the product itself.

Corrosivity/Irritation:

Eyes: May cause eye irritation

Skin: May cause skin irritation

Respiratory Tract: No data available on the product itself

Skin Sensitization: Sensitization has occurred in laboratory animals after repeated exposure.

Aspiration Hazard: No data available on the product itself

Chronic Toxicity: No data available on the product itself

STOT – Single Exposure: No data available on the product itself

STOT – Repeated Exposure: No data available on the product itself

Mutagenicity: Results from a battery of short term genotoxicity tests on this material or its components indicate mutagenic activity.

Carcinogenicity: No data available.

SECTION 12: ECOLOGICAL INFORMATION

Aquatic Toxicity: No data is available on the product itself

SECTION 13: DISPOSAL CONSIDERATIONS

Must not be disposed together with household garbage.

Do not discharge into drains or watercourses.

Disposal must be made according to official regulations.



MATERIAL SAFETY DATA SHEET

Concrete 10LV Epoxy Part B

MSDS No: 033
VERSION: 033-01
VERSION DATE: 09/15/11
SUPERSEDES: 06/08/10

SECTION 14: TRANSPORTATION INFORMATION

IATA-DGR Not regulated
IMDG Not regulated

SECTION 15: REGULATORY INFORMATION

Chemical Inventory:

PICCS (Philippines): Listed
EINECS (EU): Listed
KECI (KR): Listed
TSCA (US): Listed
DSL (CN): Listed
ENCS (JP): Listed

SECTION 16: OTHER INFORMATION

The information contained in this MSDS is based on our present knowledge. It was obtained from a variety of sources and is believed to be accurate and current at the stated version date. This data is provided without warranty for the use of this information, application or processing described in this MSDS. Users should note the possibility of hazards occurring due to improper use of the product.

Department issuing MSDS: *Research and Development Department*

Contact: *Marketing Department*

ABBREVIATIONS AND ACRONYMS:

PICCS – PHILIPPINE INVENTORY OF CHEMICALS AND CHEMICAL SUBSTANCES
EINECS – EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES
KECI – KOREAN EXISTING CHEMICALS LIST
TSCA – TOXIC SUBSTANCES CONTROL ACT
DSL – DOMESTIC SUBSTANCES LIST
ENCS – JAPANESE EXISTING AND NEW CHEMICALS SUBSTANCES